
MINISTRY OF PUBLIC HEALTH OF UKRAINE Ukrainian Medical Stomatological Academy

Preparatory department for foreign students

Basics of general histology and cytology Study guide for foreign students



Compiled by: Krivoruchko Tatyana, teacher of Department of Bioorganic and Biological Chemisty.

Ovcharenko Oksana, teacher of Preparatory Department for Foreign Citizens. Printed by the decision of CMC "UMSA" (protocol №3, 29.11.2018).

Preface

Methodical development is based on the biology program for foreign students studying at the preparatory departments of universities of medical and biological profile.

The materials studied are divided into eighteen classes. Materials for each lesson include: a dictionary of new terms needed to study the topic; lexico-grammatical structures, the activation of which eliminates the difficulty involved in perception of educational material; teaching text adapted in accordance with the language background of students at this stage of study; materials for reviewing and self-control of knowledge.

New lexical units are presented in a lesson-based dictionary, not in alphabetical order, but as they are used in the class text.

Methodical development contains drawings, diagrams, tables that help students with the learning of a new topic in the preparation of their own statements on the material studied.

This methodical development does not include materials for laboratory and examinations, as they are offered to students in a separate collection.

Contents

Class 1	Chemical composition of the cell.	3
Class 2	Inorganic substances of the cells and water	5
Class 3	Organic substances of the cells	7
Class 4	Cell structure	9
Class 5	Cell organelles	11
Class 6	Laboratory work: «Cell structure»	14
Class 7	Cell division. Mitosis	14
Class 8	Cell division. Meiosis. Amitosis	17
Class 9	Spermatogenesis and Oogenesis	20
Class 10	General histology	23
Class 11	Epithelial tissue	24
Class 12	Connective tissue	26
Class 13	Connective tissue. Blood and lymph	28
Class 14	Muscle tissue	30
Class 15	Nervous tissue	31
Class 16	Laboratory work "Animal and human tissues"	33
Class 17	Repetition	33
Class 18	Control work №2	34

Class 1. Chemical composition of the cell.

Task 1. Listen, repeat and read words and phrases:

detect / reveal	виявляти, виявити	обнаружи-	détecter /	اکتشف، عثر علی
		вать/обнаружить	localiser	
macroelement	макроелемент	макроэлемент, -ы	nutriments, s	عنصر كبير
microelemen	мікроелемент	микроэлемент, -ы	oligo-élément,	عنصر دقيق
lipid, s	ліпід	липид,-ы	lipides,	دهنیات
lipoid, s	ліпоїд	липоид,-ы	lipoïde	(شحمیات)دهنیات
hemoglobin	гемоглобін	гемоглобин	hémoglobine	هيموجلوبين
chlorophyll	хлорофіл	хлорофилл	chlorophylle	كلوروفيل
vital activity	життєдіяльність	жизнедеятельность	activité de la vie	حيوية (نشاط حيوي)
thyroid	щитовидна залоза	щитовидная железа	thyroïde	الغدة الدرقية
pancreas	підшлункова залоза	поджелудочная	pancréas	الغدة البنكرياسية
		железа		
hormone,-s	гормон	гормон, -ы	hormono-s	هرمون
vitamin	вітамін, -и	витамин, -ы	vitamine	فيتامين
pigment	пігмент, -и	пигмент, -ы	pigment	صبغة
thyroxine	тіроксин	тироксин	thyroxine	ثيروكسين
insulin	інсулін	инсулин	insuline	الأنسولين
transfer	переноси-	переносить/перенести	transfer	ينقل
	ти/перенести			

Pay attention!

make up [verb]

to form by fitting together or assembling

Matter is made up of elements.

consist of [phrasal verb]

to be formed or made up of (specified things)

Matter consists of chemical elements in pure form and in combinations called compounds.

Task 2. Listen, read and write in the notebook text.

Text

All the chemical elements that make up plant and animal cells are found in nature. Today, chemists recognize 20 elements of Mendeleev's periodic system occuring in nature.

In living organisms, elements such as oxygen (O), hydrogen (H), nitrogen (N), calcium (Ca), phosphorus (P), sulfur (S), potassium (K), chlorine (Cl), sodium (Na), magnesium (Mg), iodine (I), iron (Fe). These elements are called macroelements. They make up 99,59% of the cell mass.

Elements of copper (Cu), manganese (Mn), molybdenum (Mo), cobalt (Co), boron (B), zinc (Zn), fluorine (F), selenium (Se), chromium (Cr) are called trace elements. They are part of living organisms in very small quantities (m≥0.01%). Trace elements are those required by an organism in only minute quantities.

Table 1.1. Chemical elements found in animals and their approximate content (in weight percent).

Element	Symbol	Content, %
Oxygen	O	62
Carbon	С	20
Hydrogen	Н	10
Nitrogen	N	3
Calcium	Ca	2,5
Phosphorus	P	1,0
Sulfur	S	0,25
Potassium	K	0,25
Chlorine	Cl	0,2
Sodium	Na	0,10
Magnesium	Mg	0,07
Iodine	I	0,01
Iron	Fe	0,01
	•	99,59

Trace elements

Copper	Cu
Manganese	Mn
Molybdenum	Mo
Cobalt	Co
Boron	В
Zinc	Zn
Fluorine	F
Selenium	Se
Chromium	Cr

Chemical elements are part of inorganic compounds. Inorganic compounds include water, mineral salts, carbon dioxide, acids and bases. Organic compounds are proteins, nucleic acids, carbohydrates, lipids (fats) and lipoids. In addition to oxygen, hydrogen, carbon and nitrogen, some other elements can be included in their composition. Some proteins contain sulfur. The constituent part of the nucleic acids is phosphorus. The hemoglobin molecule contains iron, and magnesium is a part of chlorophyll.

Microelements play an important role in life processes. Iodine is an essential ingredient of a hormone thyroxine produced by the thyroid gland. Cobalt is an essential element of vitamin B12. The hormone insulin contains zinc. A copper-rich protein carries oxygen from the lungs to the bloodstream and then to the cells of some fishes bodies.

Task 3. Do the exercises.

Exercise 1. Complete the plan with the sentences.

Exercise 2. Answer the questions.

- 1. What macroelements do you know?
- 2. What is the role of macroelements in living nature?

- 3. What is microelements?
- 4. What microelements do you know?
- 5. What is the role of microelements?

Exercise 3. Complete the following sentences.

- 1. The constituent part of the nucleic acids is
- 2. The hemoglobin molecule contains
- 3. ... is an essential element of vitamin B12.
- 4. The hormone insulin contains
- 5. ... is an essential ingredient of a hormone thyroxine.

Class 2. Inorganic compounds of the cell and water.

Task 1. Listen, repeat and read words and phrases:

solvent	розчинник	растворитель,-и	solvant	مذيب
solution	розчин	раствор, -ы	solution	محلول
osmosis	осмос	осмос	osmose	إسموز
osmotic pressure	осмотичний тиск	осмотическое давление	tension osmotique	الضغط الإسموزي
penetration	проникнення	проникновение	envahissement	التغلغل
semipermeable	напівпрониклий	полупроницаемый,	hémiperméable	شبه منفذ
		-ая, -ое, -ые		
salt	сіль	соль, -и	sel	ملح
plasma	плазма	плазма	plasma	البلازما
irritability	подразливість	раздражимость	irritabilité	القابلية على التهيج
ratio	співвідношення	соотношение, -ия	quotient	نسبة تناسب ترابط
concentration	концентрація	концентрация, -ии	concentration	التركيز
buffer properties	буферні властивості	буферные свойства	tampon caractères,	خاصية التخفيف
buffering	буферність	буферность	effet tampon	القابلية على التخفف
strength/stability	міцність	прочность	solidité	الليونة
ion	іон	ион, -ы	ion	ايون
cation	катіон	катион, -ы	cation	أيون موجب
anion	аніон	анион, -ы	anio	أيون سالب
bone tissue	кісткова тканина	костная ткань	tissu osseux	النسيجالعظمي
evaporation	випаровування	испарение, -ия	vaporisation	التبخر
hydrogen index pH	водневий показник	водородный показатель (PH)	indice pH	الرقم الهيدروجيني

Pay attention!

form [verb]

to organize or arrange

Compounds formed by ionic bonds are called ionic compounds, or salts.

perform [verb] (do)

To do an action or piece of work

In extracellular fluids and in blood, the role of the buffer is performed by H_2CO_3 and HCO_3^{-}

Task 2. Listen and repeat text.

Text

Water is one of the most common substance on Earth. It covers most of the Earth's surface and is the main component of cells of living organisms.

The water averages about 80% of the body weight. Water molecules have a special structure and can be linked to each other by hydrogen bonds. Therefore, water has a number of properties that are very important for living organisms.

Water is a good solvent. The most of the biochemical reactions in the cell can take place only in aqueous solution.

A liquid that is a completely homogeneous mixture of two or more substances is called a **solution.** The dissolving agent of a solution is the **solvent**, and the substance that is dissolved is the **solute**. An aqueous solution is one in which water is the solvent.

Water as a solvent takes part in the phenomena of osmosis. **Osmosis** is the spontaneous movement of solvent molecules through a semipermeable membrane into region of higher solute concentration, in the direction that tends to equalize the solute concentrations on the two sides a solution of a substance towards a higher concentration.

Water cools the body by evaporation.

Most of the inorganic substances of the cell are in the form of salts. The cell contains many potassium ions (K +) and very few sodium ions (Na +). In extracellular environment (for example, in blood plasma) on the contrary - many sodium ions and few potassium ions. The irritability of the cell depends on the ratio of the concentrations of ions Na +, K +, Ca2 +, Mg2 + on both sides of the membrane. The concentration of salts depends on the osmotic pressure in the cell and its buffer properties.

Buffering is the ability of a cell to maintain an slightly alkaline reaction of its contents at a constant level. Buffering inside the cell is provided by the H₂PO₄⁻ and HPO₄² anions. In extracellular fluids and in blood, the role of the buffer is performed by H₂CO₃ and HCO₃⁻. Anions of weak acids and weak acids bind hydrogen ions and hydroxide ions (OH⁻). Therefore, the reaction within the cell and in extracellular fluids does not change in practice and depends on the pH of the environment. Insoluble mineral salts give a strength to bone tissue.

Task 3. Do the exercises.

Exercises 1. Make a text plan.

Exercises 2. Answer the questions.

- 1. What are the main properties of water and its importance to life?
- 2. What is osmosis?
- 3. In what form are the inorganic substances in the cell?
- 4. What cations and anions are contained in the cell?
- 5. What cations and anions are contained in the extracellular environment?
- 6. On what ions depends cell irritability?
- 7. What is buffering?
- 8. Which ions act as buffers in the cell and in the extracellular environment?

Exercises 3. Complete the sentences.

- 1. ... is one of the most common substance on Earth.
- 2. Water molecules have a special structure and can be linked to each other by

- 3. Osmosis is
- 4. Buffering is
- 5. Insoluble mineral salts give a strength
- 6. A liquid that a completely homogeneous mixture of two or more substances is called a

Class 3. Organic compounds of the cell.

Task 1. Listen, repeat and read words and phrases:

amino acid	амінокислота	аминокислота, -ы	aminoacide	الحمض الأميني الرابطة الببتيدية
peptide bond	пептидний зв'язок	пептидная связь	liaison	الرابطة الببتيدية
			peptidique	
constructional	будівельний	строительный, -ая, -ое, -ые	du bâtiment	البنائي
/structural				
enzyme	фермент, -ти	фермент, -ы (энзим, -ы)	ferment	أنزيم
fermentative	ферментативний	ферментативный, -ая, -ое, -ые	enzymatiqu	أنزيم الأنزيمية ناقليحركي
locomotive	руховий	двигательный, -ая, -ое, -ые	cinétique	ناقليحركي
/motive				
transport	траспортний	транспортный, -ая, -ое, -ые	de transport	ناقلي
contractile	скоротливий	сократительный, -ая, -ое, -ые	contractile	إنقباضىي
protective	захисний	защитный, -ая, -ое, -ые	défensif	حام، واقى، دفاعي
antibody	антитіло	антитело, -а	anticorps	جسم مضاد
antigen	антиген	антиген, -ы	antigène	جسم غریب
breakdown	розщеплення	расщепление, -ия	bifidité	الإنحلال
lipids	ліпід	липид, -ы	lipide	الدهنيات،الليبيدات
lipoid	ліпоїд	липоид, -ы	lipoïde	دهنیات، شحمیات
steroid	стероїд	стероид, -ы	stéroïdes	السيترويدات
cholesterol	холестерин	холестерин	cholestérol	كولسترول
excess	надлишок	избыток	excès	فائض، زائد
specific	специфічний	специфический, -ая, -ое, -ие	spécifique	نو عي
cortisone	кортизон	кортизон	cortisone	نوعي كورتيزون
gallstone	жовчні каміння	желчные камни	cholélithe	حصوة صفراوية
hormone	гормон	гормон, -ы	hormone	هر مون
deactivate	знезаражувати	обезвреживать/обезвредить	neutraliser	أزال التلوث
	знезаразити			
neutralize	нейтралізувати	нейтрализовать	neutraliser	يعادل
glycerol	гліцерин	глицерин	glycérine	جليسرين

Pay attention!

store [verb]

keep or accumulate (something) for future use

Plants store starch as granules within cellular structures called plastids.

Task 2. Listen and repeat text.

Text

Organic compounds include proteins, carbohydrates, nucleic acids and fats.

Proteins are high molecular weight biopolymers. Their monomers are amino acids. Living organisms use about 20 amino acids. Two amino acids are combined into one molecule using a **peptide bond**.

O H | | - C - N- .

Proteins are polypeptides that contain dozens and hundreds of amino acids.

By their composition, proteins are divided into two main classes - simple and complex. Simple proteins consist of only amino acids.

Complex proteins, except amino acids, have lipids, carbohydrates, metal ions, and phosphorus in their composition.

Proteins perform different functions in cells. One of the most important is the building function: proteins participate in the formation of all cell membranes and cell organelles. The fermentative property of proteins is of great importance. Enzymes accelerate the biochemical reactions taking place in the cell many times. The motor function is provided by special contractile proteins. These proteins are involved in all types of movement.

The transport function of proteins is to attach chemical elements or biologically active substances (hormones) and transfer them to the tissues and organs of the body. The protective function of proteins is expressed in the production of specific proteins, which are called **antibodies**. Antibodies bind and neutralize foreign substances. The organism recognizes a foreign substance by the reaction between the antigens of this substance and the antibodies of the given organism. An antigen is any substance (which usually contains a protein) that can induce an immune reaction. Proteins are a source of energy. With the complete cleavage of 1 g of proteins, 17.6 kJ energy is released (4.2 kcal)

Carbohydrates are organic substances with the general formula $(CH_2O)_n$. In the animal cell, there are 1-5% carbohydrates.

Carbohydrates are simple and complex. Simple carbohydrates are called **monosaccharides**. Complex carbohydrates are called **polysaccharides**. Monomers of polysaccharides of starch, glycogen and cellulose are glucose monosaccharide.

Carbohydrates are organic substances with the general formula $(CH_2O)_n$.

In the animal cell, there are 1-5% carbohydrates.

Carbohydrates perform two main functions: construction and energy. Cellulose forms the walls of plant cells. Complex polysaccharide chitin performs construction function in fungi and arthropods. Carbohydrates play the role of the main source of energy in the cell. During the oxidation of 1 g of carbohydrates, 17.6 kJ of energy (4.2 kcal) is released. Starch in plants and glycogen in animals is stored in cells.

Lipids (fats) are compounds of high molecular weight fatty acids and trihydric glycerol alcohol. Fats are a source of energy in the body and give it twice as much as carbohydrates. Fats are part of cytoplasmic membranes, nuclear envelope, myelin sheaths. The fat layer protects the animals from loss of heat and water. Lipids are part of the intermediate layer of cytoplasmic membranes. In a large number of lipids are contained in the cells of the nervous tissue of animals.

Steroids are lipids that have a cyclic structure. Steroids include a number of hormones (cortisone, sex hormones). Steroid cholesterol is an important component of cell membranes in animals. But excess cholesterol in the body can lead to the formation of gallstones and diseases of the cardiovascular system.

Nucleic acids are complex organic compounds that have very large molecules, which include monosaccharides (ribose and deoxyribose), nitrogenous bases (adenine, guanine, thymine, cytosine, uracil) and phosphoric acid.

Two types of nucleic acids are known: deoxyribonucleic (DNA) and ribonucleic (RNA). They got their name from monosaccharides, which are included in their composition: DNA is deoxyribose, and in RNA - ribose. DNA is contained in the nu-

cleus of the cell, and RNA is in the cytoplasm and in the nucleus. DNA and RNA retain (store) and transmit hereditary information for specific proteins and other cell substances. DNA is the carrier of hereditary information.

Task 3. Do the exercises.

Exercises 1. Answer the questions.

- 1. What organic substances are included in the cell?
- 2. What structure do proteins have?
- 3. What are the functions of the proteins in the cell?
- 4. What structure do lipids have?
- 5. What are the functions of carbohydrates in the cell?
- 6. What structure do carbohydrates have?
- 7. What are the functions of the lipids in the cell?
- 8. What types of nucleic acids do you know?
- 9. What are the functions of the nucleic acids in the cell?

Exercises 2. Fill the table below.

Brief characteristics of main groups of organic compounds

Ditej characteristics of	main groups of organic compounds
Group	Role in living organisms
a)	1. The main source of energy.
	2. Support function in plants.
b)	1. Components of biological membranes.
	2. The form of energy storage.
	3. Hormones.
c) Protein	1.
	2.
d)	1.
	2.

Class 4. Structure of the cell.

Task 1. Listen, repeat and read words and phrases:

metabolism	обмін речовин	обмен веществ (метаболизм)	métabolisme	تبادل المواد(الأيض)
semipermeable	напівпроникливість	полупроницаемость	semi-	شبه نفاذية
			perméabilité	
capacity	здатність	способность, -и	faculté	قدرة
overleap	пропускати/пропустити	пропускать/пропустить	tréfiler	سمح بالمرور
limit/restrict	обмежити	ограничивать/ограничить	restreindre	يحيط، يحدد
injury	пошкодження	повреждение, -ия	altération	إتلاف
regulate	регулювати	регулировать	régler	ضبط، نظم، نسق
admission	надходження	поступление, -ия	admission	إلتحاق
enter	вводити/ввести	вводить/ввести	injecter	أدخل
connect/join	з'єднувати/з'єднати	соединять/соединить	accoler	يضم
phagocytosis	фагоцитоз	фагоцитоз	phagocytose	فجوة
colloidal	колоїдний розчин	коллоидный раствор	solution	محلول غروي
solution			colloïdale	
make/commit	здійснювати/здійснити	совершать/совершить	commettre	أنجز، أتم
intensity	інтенсивність	интенсивность	intensité	التركيز
separate	відділяти/відділити	отделять/отделить	séparer	يفصل
strip	стрічка	полоска, -и	bandelette	مخطط
pore, porus	пора	пора, -ы	lacune	موسم، فصل
nucleoplasm	нуклеоплазма	нуклеоплазма	nucléoplasme	بلازما النواة

nucleolus	ядерце	ядрышко, -и	plasmosome	النوية
chromatin	хроматин	хроматин	chromatine	كروماتين
chromosome	хромосома	хромосома, -ы	chromosome	كروموسوم
gene	ген	ген, -ы	gène	جين
penetrate	проникати/проникнути	проникать/проникнуть	infiltrer	يغلغل
pinocytosis	піноцитоз	пиноцитоз	pinocytose	بلعمة
semifluid	напіврідкий	полужидкий, -ая, -ое, -ие	fluide	مائع
cyclosis	циклоз	циклоз	cyclose	الحركة السيتوبلازمية

Pay attention!

compose [verb]

(of elements) constitute or make up (a whole, or a specified part of it) A nucleotide is itself composed of three parts.

Task 2. Listen and repeat text.

Text

Membranes of plants and animals are fundamental to the organization of the cell. In general, biological membranes consist of a double layer of phospholipids and other lipids. Diverse proteins are embedded in this lipid bilayer or attached to its surfaces. Through it, there is a metabolism between the cell and the environment. An important property of the cytoplasmic membrane is semipermeability.

Semipermeability is the ability of a cell membrane to pass through itself only certain molecules and ions of matter.

Plant cells have a protective cellulose membrane that performs a mechanical function, and animal cells have only a plasmalemma.

The main functions of the outer membrane are to limit the internal environment of the cell, protect it from damage, regulate the flow of ions and molecules, remove metabolic products and synthesized substances, connect cells to each other and form tissues.

Through the outer membrane, large particles (exocytosis) and liquid drops (pinocytosis) enter the cell. In microorganisms, the absorption of large particles is called **phagocytosis**.

Under the plasma membrane, there is the main part of the cell - the cytoplasm. It is a colloidal solution of proteins, fats and nucleic acids. The cytoplasm is in the semi-liquid (gel) state and makes circular motions - **cyclosis**. The intensity of cyclosis depends on the temperature, the amount of water and other factors. The metabolism takes place in the cytoplasm. The main function of the cytoplasm is to integrate into one and ensure the interaction of the nucleus and all cell organelles.

The nucleus is one of the most important components of the cell. From the cytoplasm it is separated by a nuclear envelope, which consists of two three-layer membranes, between which is a narrow strip of semi-liquid substance.

Through the pores of the nuclear envelope, there is a metabolism between the nucleus and the cytoplasm.

Under the nuclear membrane is a nucleoplasm that contains one or more nucleoli, DNA, RNA and proteins.

The nucleolus has a rounded shape and sizes from 1 to 10 μ m or more. It synthesizes RNA and contains ribosomal RNA.

The complex of **DNA** + **the protein** of the nucleus is called **chromatin**. During the division of cells from chromatin, chromosomes are formed. Each species of

plants and animals has a constant number of chromosomes. The size and shape of chromosomes are characteristic for each species of man and animals.

In chromosomes, there are units of hereditary information - genes. Each gene controls the development of its hereditary trait. Genes are located in chromosomes in a certain order. Each gene takes its place (locus).

Most cells have one nucleus, but multinucleated cells also occur. The shape and size of the nuclei are diverse.

Task 3. Do the exercises.

Exercises 1. Make a text plan.

Exercises 2. Answer the questions.

- 1. What is cell membrane?
- 2. What functions does the cytoplasmic membrane perform?
- 3. What are the functions of cytoplasm?
- 4. What structure does the nucleus have?
- 5. What functions does the nucleus perform?

Exercises 3. Explain the meaning of the words:

phagocytosis, pinocytosis, cyclosis, semipermeability, gene, chromatin, exocytosis.

Class 5. Cell organelles.

Task 1. Listen, repeat and read words and phrases:

I don I. Libit	ni, repeat and read wor	as and pinases.		
endoplasmic reticulum (ER)	ендоплазматична сітка	эндоплазматическая сеть	réticulum endoplasmique	الشبكة الأندوبلازمية
mitochondrion	мітохондрія	митоуонланд	mitochondrie	منتہ کندر دا
	Гольджі комплекс	митохондрия		ميتوكندريا أجسام جولجي
Golgi complex /apparatus	1 ольджі комплекс	сетчатый аппарат (аппарат Гольджи)	appareil de Golgi,	اجسام جولجي
ribosome	рибосома	рибосома	ribosome	الرايبوسومات
lysosome	лізосома	лизосома	lysosome	الرايبوسومات الليزوسومات
			•	النيروشوهات السنترومير
centrosome	центросома	центросома	corpuscule central	السندرومير
invaginations	інвагінації	инвагинации	intussusception	
rugged/rough	шорсткий	шероховатый	squarreux	خشن
smooth	гладкий	гладкий	glabre	ناعم
canal/channel	канал	канал	canal	قناة
			cavité	
cavity	порожнина	полость		جوف
granular	гранулярний	гранулярный	granulaire	حبيبي
accumulate	накопичувати	накапливать/накопить	accumuler	ادخر ، جمع حبة، بزرة
kernel/grain	зерно	зерно	grain	حبة، بزرة
achromatin	ахроматинове веретино	ахроматиновое веретено	fuseau	خيوط مغزلية الشكل
spindle			achromatique	
pole	полюс	полюс	pôle	قطب
separation	розходження	расхождение	désunion	الإنشطار
fiber	нитка	нить	fibre	حبل، خیط
myofibril	міофібрила	миофибрилла	myofibrille	ليفة عضلية
neurofibril	нейрофібрила	нейрофибрилла	neurofibrille	ليفة عصبية
conduction	проведення	проведение	conduction	شق، مد، أنجز
impulse	імпульс	импульс	impact	النبض
provide	забезпечувати/забезпечити	обеспечивать/обеспечить	accommoder	ضمن، أمن، وفر

Pay attention!

Separation [mass noun]

the action or state of moving or being moved apart Microtubules are responsible for the separation of chromosomes during cell division.


Task 2. Listen and repeat text.

Text

The cell contains the following organelles: endoplasmic reticulum, mitochondria, Golgi apparatus, ribosomes, lysosomes, centrosome, special organelles.

Mitochondria (singular, mitochondrion) can vary greately in both size (0.5 micrometers - 10 micrometers) and number (1 - over 1000) per cell. They have a double membrane: external and internal. The inner membrane forms **cristae** (invaginations). In the cavity of the mitochondria there are semi-liquid soluble proteins - **enzymes** (matrix), mitochondrial DNA, and ribosomes.

The main function of mitochondria is the synthesis of ATP - biological energy.



Mitochondrion

- 1-outer membrane;
- 2-inner membrane;
- 3-cristae.

Ribosomes have linear size of 0.015 micron. They consist of two subunits: large and small. Each subunit comprises one or more ribosomal RNA (rRNA) molecules and a variety of ribosomal proteins. Ribosomes are involved in the synthesis of protein molecules.


The **endoplasmic reticulum** (reticulum - network) is a special system of membranes. There are two types of endoplasmic reticulum:

- rough (granular);
- smooth (agranular).

On the membranes of the rough endoplasmic reticulum (RER) ribosomes are attached, which synthesize protein. Smooth endoplasmic reticulum (SER) is a network of fine tubular membrane vesicles, that is involved in the synthesis and storage of lipids, including cholesterol and phospholipids, which are used in the production of new cellular membrane. Thus, the endoplasmic reticulum is involved in the synthesis of proteins, lipids and in the transfer of synthesis products to different parts of the cell.

The **Golgi apparatus or complex** consists of cisterns, tubules and vesicles (bubbles). It looks like an endoplasmic reticulum. The Golgi apparatus or complex is the center of accumulation, packing and release of various substances (enzymes, hormones).

The products of cell synthesis and substances that come from the external environment, move through the channels of the endoplasmic reticulum into the net apparatus and accumulate there.



Golgi complex

1-cisterns; 2-vesicles.

Lysosome is an organelle that contains digestive enzymes that break down proteins, polysaccharides, nu-


cleic acids, fats, and other organic substances.

Plant cells also have plastids and vacuoles with cell sap.

The **centrosome** or cell center can be seen in all animal cells and in some lower plants. Its size is from 0.4 to 0.9 microns.

A centrosome consists of one or two small bodies – centrioles.


The centrosome is involved in the formation of the achromatin spindle (mitotic apparatus), which provides the movement of chromosomes to the opposite poles of the cell.



Some organelles are characteristic only for the special functions of the cells - these are cilia and flagella that perform the functions of movement and protec-

tion.

They are the means by which many microscopic unicellular and multicellular organisms move from place to place. The muscle cells contain special organelles - myofibrils. Under the action of myofibrils, muscle contraction occurs. Some cells contain neurofibrils. They are involved in conducting nerve impulses.



Scheme of the cell structure

- A- animal cell;
- **B** plant cell.
- 1-cell membrane;
- 2-vacuole:
- **3**-centrosome;
- 4- Golgi complex;
- 5- nucleus membrane;
- **6**-nucleus:
- 7-nucleolus;
- 8-mitochondria;
- 9-ER:
- 10-cytoplasm;
- 11-lysosome;
- 12-chloroplast;
- 13-cell wall;
- 14-ribosome.

Task 3. Do the exercises.

Exercises 1. Answer the questions.

- 1. What are the different organelles that make up our cells?
- 2. What is the structure of mitochondria, what function do they perform?
- 3. What is the structure of Golgi complex, what function does it perform?
- 4. What is the structure of ER, what function does it perform?
- 5. What is the structure of ribosomes, what function do they perform?
- 6. What is the function of the centrosome?
- 7. What organelles perform only special cell functions?

Exercises 2. Fill up the table.

Structure	Function
Cell membrane	
Nucleus	
Chromosomes	
Nucleolus	
Mitochondria	
Ribosomes	
ER	
Golgi complex	
Lysosome	

Exercises 3. Draw a cell, show its organelles in the picture.

Class 6. Laboratory work №2

"Cell structure"

Class 7. Cell division Mitosis.

Task 1. Listen, repeat and read words and phrases:

massed/numerous	багаточисельний	многочисленный	multiple	متعدد
multiple	багаторазовий	многократный	multiple	متكرر
differentiation	диференціація	дифференциация	différenciation	تمايز، تباين، تفاوت
die off	відмирати	отмирать	s'atrophier	تلاشي
disappear	зникати	исчезать	se dissiper	يختفي
substitute	заміщати	замещать	remplacer	ابدل، عوض
mitosis	мітоз	митоз	mitose	الإنقسام الميتوزي
meiosis	мейоз	мейоз	méiose	الإنقسام الميوزي
amitosis	амітоз	амитоз	amitose	أميتوز (إنشطار مباشر)
continuous	безперервний	непрерывный	continu	متواصل، مستمر
set	набір	набор	paraison	طقم
spiralization	спіралізація	спирализация	spiralisation	حلزونية
prolonged/continual	довготривалий	продолжительный	isochrone	مستمر
achromatin spindle	ахроматинове	ахроматиновое	fuseau	خيوط مغزلية الشكل
	веретино	веретено	achromatique	
interphase	інтерфаза	интерфаза	interphase	الطور البيني
prophase	профаза	профаза	prophase	الطور التمهيدي
metaphase	метафаза	метафаза	métaphase	الطور الوسيط
anaphase	анафаза	анафаза	anaphase	الطورالإنفصالي
telophase	телофаза	телофаза	télophase	الطور الأخير

equator	екватор	экватор	équateur	خط الإستواء
mitotic cycle	мітотичний	митотический	mitotique	دورة مغزلية
	цикл	цикл	circuit	
karyokinesis	каріокінез	кариокинез	caryocinèse	إنقسام النواة
cytokinesis	цитокінез	цитокинез	cytokinèse	إنقسام الستوبلازم

Pay attention!

Arise [verb] arise from/out of

Occur as a result of

New cells arise from preexisting cell by mitosis division.

Task 2. Listen and repeat text.

Text

According to the cell theory, all the cells are the results of the division of preexisting cells. A unicellular organism is divided, forming two new cells. A multicellular organism begins its development from a single cell. All its numerous cells are formed as a result of multiple cell divisions. First, cell division occurs, then they differentiate according to their functions. Tissues are made from cells of a similar type. Organs are made from tissues, and systems are made from several organs working together. In a living organism, old cells die and are replaced by new ones. Thus, the body grows and develops.

There are three types of cell division: 1) **mitosis** - indirect division; 2) **meiosis** - reduction division; 3) **amitosis** - direct division.


More complex cell division is mitosis. 99% of all cells divide by mitosis. In mitosis a cell divides to form two identical daughter cells. It is important that the daughter cells have copies of every parental chromosome.

Mitosis is a type of cell division in which one cell (the mother) divides to produce two new cells (the daughters). As a result of mitosis, two genetically identical daughter cells are formed with the same set of chromosomes as in the parent cell.

Mitosis is a continuous process that consists of four phases.



1. Prophase is the longest phase of mitosis. The nucleolus and the nuclear membrane disappear, chromosomes are spiralized, an achromatin (mitotic) spindle is formed.




2. **Metaphase** - the mitotic spindle is formed, the chromosomes are located at the equator of the cell.



3. **Anaphase** is the shortest phase of mitosis. Daughter chromatids become chromosomes and diverge towards the opposite poles of the cell.

4. **Telophase** - chromosomes diverge to the poles of the cell and then despiralized. A nuclear membrane appears around each set of chromosomes. The division of the nucleus ends. The division of the cytoplasm occurs.

The period between cell divisions is called **interphase**. The period of interphase includes the following events: cell growths, chromosome doubling, tubulin protein synthesis, chromosome reduplication. Each chromosome consists of two chromatids that are connected by a centromere.



As a result of mitosis, two daughter cells are formed with the same set of chromosomes as the parent cell.

The complex of mitosis processes is called **mitotic division.** The period from one cell division to another, which includes mitosis and the interphase period is called the **cell cycle.**

Task 3. Do the exercises.

Exercise 1. Answer the questions.

- 1. What is mitosis?
- 2. What is a cell cycle?
- 3. What is the structure of chromosomes?
- 4. What happens in the interphase?
- 5. What is the longest phase of mitosis? What happens in this phase?
- 6. What happens in anaphase of mitosis?
- 7. What happens in telophase of mitosis?

Exercise 2. Draw a scheme of mitosis.

Exercise 3. Arrange mitosis events in chronological order:

- a) chromosomes condense: the nuclear membrane disappears;
- b) spindle forms;
- c) chromosomes double;
- d) chromosomes placed at opposite poles of the cell;
- e) chromosomes are arranged along the equator;
- f) cytoplasm is divided.

Class 8. Cell division. Meiosis. Amitosis.

Task 1. Listen, repeat and read words and phrases:

Tubil 1. Diston, repeat and read words and pinases.					
reduction	редукційний	редукционный	détendeur	تخفیض، خافض	
decrease	зменшення	уменьшение	décroissance	تقلیل	
increase	збільшення	увеличение	accroissement	تكبير	
diploid	диплоїдний	диплоидный	diploïde	زوجي	
haploid	гаплоїдний	гаплоидный	haploïde	أحادي	
locate	розташовуватися	располагаться	disposer	صف، رتب	
chromatid	хроматида	хроматида	chromatide	كروماتيد	
convergence	зближення	сближение	rapprochement	إقتراب	
conjugation	кон'югація	конъюгация	conjugaison	إقتران (نوع من التكاثر الجنسي)	
crossing-over	кросинговер	кроссинговер	crossing-over	عبور، تعابر	
tetrad	тетрада	тетрада	tétrade	رباعي	
centromere	центромера	центромера	cinétochore	المتضيق من الكروموسوم)	
				السنترومير(الجزء	
centriole	центріоль	центриоль	corpuscule central	الْمتضَّيق من الكروموسوم) السنترومير(الجزء السنتريول	
bivalent	бівалент	бивалент	bivalent	نصفي	
homologous	гомологічний	гомологичный	homologue	تماثل، تناظر	
region	ділянка	участок	aire	قطاع، جزء	
area/plane	площина	плоскость	plan	مستوى	
paired	парний	парный	bigéminé	زو <i>جي</i>	
split/separate	розділятися	разделяться	se ramifier	إنقسم، انشطر	
constriction	перетяжка	перетяжка	étranglement	شد، سحب	
maternal cell	материнська клітина	материнская клетка	maternel	خلية أم	
daughter cell	дочірня клітина	дочерняя клетка	cellule fille	خلية وليدة	
cartilage	хрящ	хрящ	cartilage	غضروف	
tendon	сухожилля	сухожилие	tendon	وتر	
liver	печінка	печень	foie	کبد	
leukocyte	лейкоцит	лейкоцит	leucocyte	کریة دم بیضاء	
	•				

Pay attention!

Disappear [verb] (not see)

to become impossible to see

The nuclear membrane and nucleolus both disappear during prophase of mitosis and meiosis.

Task 2. Listen and read text.

Text

Meiosis is the special type of recombinative and reductive cell division occurring only in the generation of the **gametes** or **germ cells** (eggs and sperm) and in the formation of spores in plants.

In the process of meiosis, the number of chromosomes in the gametes is halved. Gametes contain two times less chromosomes than all other cells in the body. During fertilization, the number of chromosomes doubles as a result of fusion of sperm and eggs.

In meiosis, four male haploid cells are formed from a single diploid cell. During meiosis, two types of division occur: meiosis I and meiosis II. In the first meiotic division, the number of chromosomes is halved. Such a division is called **reduction**.

The first meiotic division consists of four phases: prophase I, metaphase I, anaphase I, telophase I.

The most complex changes occur in prophase I.

Homologous chromosomes (identical in size and shape) are parallel to each other, then get closer and contact. This process is called **conjugation.**

Conjugating chromosomes are called **bivalents** or **tetrads**. Each bivalent consists of four chromatids that are connected by one centromere.

The centrosome is divided into two centrioles, which begin to move to opposite poles of the cell. A fission spindle is formed between centrioles, which consists of microtubules. Then the nuclear envelope is fragmented in the cell.

The homologous chromosomes diverge from each other, intersect with other chromatids and form chiasmas. **Chiasma** is the place of connection of chromatids of different chromosomes. There is an exchange of homologous regions of chromosomes - genes. The exchange process is called **crossing-over.**

At the end of prophase I, chromosomes thicken and spiralize, and chromatids are connected to each other only at several points.

In metaphase I, bivalents of chromosomes are located in the equatorial plane. The spindle division is forming.

In anaphase I, bivalents begin to divide into homologous chromosomes, each of which consists of two chromatids. Homologous chromosomes diverge to the opposite poles of the cell. Thus, in this phase there is a reduction in the number of chromosomes by half (reduction).

The telophase I is the shortest phase of the first meiotic division. The nuclei of daughter cells with a haploid set of chromosomes are formed.

Cytokinesis does not always follow telophase, and the second meiotic division begins immediately.

Meiosis II occurs as a type of mitosis and is called equational division.

This type of division also has four phases: prophase II, metaphase II, anaphase II, telophase II.


In prophase II, the nucleus contains a haploid set of chromosomes and each chromosome consists of two chromatids.

In metaphase II, chromosomes are located at the equator of the cell and the achromatin spindle is formed.

In anaphase II, paired chromatids diverge towards the opposite poles of the cell.

In telophase II, chromosomes despiralize. A nuclear membrane forms around them, and a nucleolus appears in the nucleus.


Meiosis First meiotic division Prophase I Prophase II Prophase II



Amitosis is a direct cell division characterized by simple cleavage of the nucleus without the formation of chromosomes. Amitosis begins with the division of the nucleus, and then the cytoplasm of the cell. At the beginning of the division, the nucleus is drawn out and a constriction is formed on it, which divides the nucleus in half. Amitosis occurs without formation of spindle fibres. Amitosis is a direct division of a relatively small percentage of cells.

When nuclei are divided into several nuclei, multinucleated cells are formed, and when cells are fused, **symplasts** (the inner side of the plasma membrane) are formed.

As a result of amitosis, daughter cells are formed from the mother cell without altering cellular structures.



Amitosis

- 1 nucleus;
- 2 cytoplasm;
- 3 constriction.

Amitosis is a type of asexual reproduction, which occurs in unicellular organisms such as bacteria, protozoans, pathological cells, old cells, mammalian cartilage cells as well as in fetal membranes, unicellular fungi like yeast. Amitosis is found in both single-celled and multi-cellular animals and plants. For example, in animals, amitosis occurs in the liver.

Task 3. Do the exercises.

Exercise 1. Answer the questions.

- 1. What is meiosis?
- 2. What is formed during meiosis?
- 3. What happens during the reduction division?
- 4. What is conjugation?
- 5. What is crossing-over?
- 6. What is chiasma?
- 7. What chromosomes are called homologous?
- 8. What happens in anaphase I?
- 9. What happens during equational division?
- 10. What happens in telophase II of meiosis?
- 11. From where do new cells arise?
- 12. What happens as a result of cell differentiation?
- 13. What types of cell division do you know?
- 14. What is amitosis?
- 15. What happens in the amitosis process?

Exercise 2. Explain the meaning of the words:

conjugation, crossing over, chiasma, chromatid, bivalent chromosomes.

Exercise 3. Draw a scheme of meiosis.

Class 9. Spermatogenesis and Oogenesis.

Task 1. Listen, repeat and read words and phrases:

spermatogenesis	сперматогенез	сперматогенез spermatogenèse		عملية تكوين الحيوانات المنوية
oogenesis	оогенез	оогенез oogenèse		عملية تكوين البويضة الأنثوية
spermatogonia	сперматогонії	сперматогонии	cellule	خلية منوية
			spermatique	
oocyte	ооцит	ооцит	ovocyte	خلية البويضة الأنثوية
polar body	полярні тільця	полярные тельца	corpuscule	جسيم قطبي
			polaire	
subsequent/following	наступний	последующий	subséquent	لاحق، آت
reach	досягати/досягнути	достигать/достигнуть	atteindre	بلغ الحد الأعلى
embryo	зародок	зародыш	embryon	جنين

Pay attention!

Fuse [verb] [no object] (of group of cellular structure) join or coalesce


Fertilization occurs when the nucleus of both a sperm and an egg fuse to form a diploid cell, known as zygote.

Task 2. Listen and read text.

Eggs and spermatozoa are gametes containing half (haploid, n) set of chromosomes compared to somatic cells. When the egg cell is fused with the sperm cell in the fertilized egg, the normal (diploid, 2n) set of chromosomes is restored.

Meiosis is a specialized type of cell division of the cell nucleus that reduces the chromosome number by half the original amount of genetic information. Thus, in the life cycle of sexually reproducing organisms, this stage is necessary because the number of chromosomes in the body with each generation would be doubled.

Spermatogenesis is the process of formation of spermatozoa. The cells of the testes of the male genital glands, from which sperm cells are formed, are called spermatogonia. Spermatogonia are transformed into spermatocytes of the first order. As a result of two subsequent meiotic divisions, second-order spermatocytes are formed first, and then spermatids. Spermatids mature and turn into spermatozoa.



Spermatogonia

Chromosome doubling; conjugation of homologous chromosomes

Spermatocytes of the 1st order

Chromosome divergence


First meiotic division

Spermatocytes of the 2st order

Second meiotic division

Spermatids

Spermatozoon



Oogenesis

The process of formation of oocytes differs significantly from the process of formation of spermatozoa.

The process of formation of eggs is called **oogenesis.** During oogenesis, two meiotic divisions also occur. With each division, most of the cytoplasm moves into one of the daughter cells, which is called an oocyte. As a result of the first meiotic division, a primary oocyte and one polar body (reduction body) are formed.

After the second meiotic division, one large egg cell and three small cells, the polar bodies, develop. The egg cell is the main source of nutrients, ribosomes, and other components of the cytoplasm necessary for the early stages of embryo development. The polar bodies are quickly dying.

Oogenesis results in one large cell (egg or ovum) and three small cells (polar bodies).

Thus, meiosis is a process where a single cell divides twice to produce four cells containing half the original amount of genetic information.

Task 3. Do the exercises.

Exercise 1. Answer the questions.

- 1. What happens when an egg is fused to a sperm cell?
- 2. What is spermatogenesis?
- 3. What happens during spermatogenesis?
- 4. What is oogenesis?
- 5. What happens during oogenesis?

Exercise 2. Complete these sentences.

Eggs and spermatozoa are gametes containing ... (..., n) set of chromosomes compared to ... cells. Meiosis is a process where a single cell divides ... to produce ... cells containing half the original amount of genetic information.

Class 10. General histology.

Task 1. Listen, repeat and read words and phrases:

				علم الأنسجة
histology	гістологія	гистология	гистология histologie	
complex	комплекс	комплекс	complexe	معقد
similar/analogous	подібний	сходный	homologue	مماثل، شبیه
definite	певний/визначений	определенный	déterminé	محدد، معین
integumentary	покривний	покровный	tégumentaire	غطاء(ما يغطي الجسم)
sense organs	органи чуття	органы чувств	les organes des sens	أعضاء الحس
epithelial tissue	епітеліальна тканина	эпителиальная	tissu épithélial	نسيج طلائي
		ткань		
connective tissue	сполучна тканина	соединительная	tissu conjonctif	نسيج ضام
		ткань		
muscular tissue	м'язова тканина	мышечная	tissu musculaire	نسيج عضلي
		ткань		
nervous tissue	нервова тканина	нервная ткань	tissu nerveux	نسيج عصبي

Pay attention!

Bind [verb] (tie)

to tie something tightly, or to fasten things together Connective tissue binds other tissues of the body.

Act [verb] (do something)

to take action


Tissue is a group of cell that act together to carry out a specific function in the body.

Task 2. Listen and read text.

Text

The body of multicellular animals and humans consists of a large number of cells and extracellular substance, forming various tissues that form organs.

Complexes of cells and intercellular substance, similar in structure, function and origin, form certain types of tissue.



Human body tissue

Tissues are groups of cells and intercellular substances that have a similar structure and act together to perform a specific function.

Tissues form organs; groups of organs are organ systems. The following main organ systems are distinguished: bone (skeletal), muscular, circulatory, respiratory, digestive, excretory (urinary), reproductive, nervous, sensory system, endocrine, integumentary (skin). Each tissue has its own characteristics, but in the body all tissues

are closely related to each other. There are four types of animal tissue: - epithelial; - endocrine secretion; - muscle; - nervous.

Task 3. Do the exercises.

Exercise 1. Answer the questions.

- 1. What is the body of multicellular animals and humans consists of?
- 2. What is tissue?
- 3. What organ systems form tissues? What types of animal tissue do you know?
- 4. What is the name of science that deals with tissue?

Exercise 2. Compose the text plan.

Class 11. Epithelial tissue.

Task 1. Listen, repeat and read words and phrases:

line	вистилати	выстилать	daller	بطن
flat epithelium	плоский епітелій	плоский эпителий	épithélium	ظهارة سطحية(نسيج يكسو سطحا)
			squameux	
cuboidal epithelium	кубічний епітелій	кубический эпителий	épithélium	نسيج مكعب
			cubique	
single-layered	одношаровий епі-	однослойный эпите-	épithélium	نسيج أحادي
epithelium	телій	лий	monostratifié	
multilayered/stratified	багатошаровий епі-	многослойный эпите-	épithélium	نسيج طبقي
epithelium	телій	лий	polystratifié	
cylindrical epithelium	циліндрічний епі-	цилиндрический эпи-	épithélium	نسيج إسطواني
	телій	телий	cylindrique	
ciliated epithelium	миготливий епіте-	мерцательный эпите-	épithélium	نسيج مهدب
	лій	лий	cilié,	
mucous membrane	слизова оболонка	слизистая оболочка	membrane	غشاء مخاطي
			muqueuse	
serosa	серозна оболонка	серозная оболочка	membrane	غشاء مصلي
			séreuse	
gland/glands	залоза, -и	железа,-ы	glande	غدة
adjoin each other	прилягають один до	прилегают друг к	adhérent	إلتصق بعضه ببعض، تزاحم
	одного	другу		
layer	шар	слой	couche	طبقة
absorption	всмоктування	всасывание	absorption	إمتصاص
discharge/excretion	виділення	выделение	émission	مفرز
drying	висихання	высыхание	dessiccation	تجفيف
secretion/secretum	секрет	секрет	sécréta	إفراز
kidney	нирка	почка	rein	کِلِعَ
corneous	роговий	роговой	couche	قرنية
			cornée	
skin	шкіра	кожа	cutis	جلد
cover	вкривати	покрывать	abriter	غطی، طلی

Pay attention!

Take part [phrase]

join in activity; be involved

Tissues take part in growth by formation of new cells.

Classify [verb] with object

arrange (a group of people or things) in classes or categories according to shared qualities or characteristics.

Tissues are classified into four main categories – epithelial, connective, muscle and nervous tissues.

Task 2. Listen and read text.

Text

Epithelial tissues cover the body from the outside, lining the mucous and serous membranes of internal organs and form the majority of glands.

Epithelial tissues consist of cells that fit tightly together and form one or more layers. Between the layers of epithelial cells is the tissue fluid.

There are two principal types of epithelium: covering and glandular.

Covering epithelium are sheets of tissue that cover the external surfaces (skin, lungs, gut) and line the internal cavities (blood and lymphatic vessels, pleura) of the body. The covering epithelia separates the body from the external environment, takes part in the metabolism, in the absorption of substances and the release of metabolic products.

Some epithelia, called **glandular epithelia**, absorb or secrete chemical solutions. For example, the glandular epithelia that line the lumen (cavity) of digestive and respiratory tract form a mucous membrane.

According to the form and function of cells, the epithelium can be: single-

layered (consists of one layer of cells);

multilayered (stratified) (consists of several layers of cells);

ciliated (ciliate) - if there are cilia on the surface of the cells.

According to the shape of the cells, the epithelium can be: **flat, cuboidal, cy-lindrical** (prismatic); **ciliated**.

Glandular cells are related to glands, and glands are related to secretion of any chemical substance (hormones and enzymes), so glandular cells serve in secretion.

Epithelial tissues line the outer surfaces of organs and blood vessels throughout the body, as well as the inner surfaces of cavities in many internal organs. An example is the epidermis, the outermost layer of the skin. Through the epithelium, there is a metabolism between the body and the environment. The epithelium of the digestive system is involved in absorption and in the enzymatic digestion of food to amino acids, fatty acids, monosaccharides.

The epithelium of the kidneys and skin takes part in the removal of the products of cell metabolism. Thus, the functions of epithelial cells include secretion, selective absorption, protection, transcellular transport, and sensing.

Types of epithelial tissue


Task 3. Do the exercises.

Exercise 1. Answer the questions.

- 1. What is epithelial tissue?
- 2. What types of epithelial tissue do you know?
- 3. How the epithelium is distinguished by the shape of the cells?
- 4. What are the functions of the glandular epithelium?
- 5. What are the functions of the covering epithelium?

Exercise 2. Compose the text plan.

Exercise 3. Draw the types of epithelium in the notebook.



Class 12. Connective tissue.

Task 1. Listen, repeat and read words and phrases:

ligament	зв'язка	связка	ligament	وتر، رباط
interlayer	прошарок	прослойка	couche	بين طبقتين
reticular tissue	тканина сполучна ретикулярна	ткань соединительная ретикулярная	tissu réticulé	نسيج شبكي ضام
spongy tissues	тканина сполучна пухка	ткань соединительная рых- лая	tissu cribriforme	نسيج رخوي ضام
fibrous tissue	тканина сполучна волокниста	ткань соединительная во- локнистая	un tissu fibreux	نسيج ليفي ضام
cartilaginous tissue	тканина хрящова	ткань хрящевая	tissu cartilagineux	نسيج غضروفي
bone [osseous] tissue	тканина кісткова	ткань костная	tissu osseux	نسيج عظمي
spindle cell	клітина веретено- подібна	клетка веретенообразная	cellule fusiforme	خلية مغزلية
stellate cell	клітина зірчаста	клетка звездчатая	cellule stellaire	خلية نجمية
elastic fibers	волокна еластичні	волокна эластические	fibre élastique	ألياف مرنة
reticular fiber	волокна ретикуляр- ні	волокна ретикулярные	fibre de réticuline	ألياف شبكية
tendon	сухожилля	сухожилие	tendon	وتر
spine/vertebra	хребет	позвоночник	colonne vertébrale	عمود فق <i>ر ي</i>
vertebra	хребець(хребці)	позвонок(позвонки)	vertèbre	فقرة من العمود الفقري
bundle/bunch	пучок	пучок	cordon	حزمة

Pay attention!

Bind [verb], bound

to tie something tightly or to fasten something Connective tissue functions mainly to bind and support other tissue.

Task 2. Listen and read text.

Text

Connective tissue takes part in the formation of ligaments and interlayers between organs.

Some types of this tissue (blood, lymph) carry substances throughout the body inside the blood and lymphatic vessels.

All kinds of connective tissue have a large amount of intercellular substance.

There are several types of tissues of the internal environment:


- **connective tissues** (reticular tissue, spongy tissue, dense fibrous tissue, adipose tissue);
 - **supporting tissues** (cartilaginous tissue, bone tissue);
 - blood and lymph.

Reticular tissue consists of stellate cells, which are connected to each other by appendages. Between the cells there is the intercellular substance and the reticular fibers.

Spongy tissue consists of stellate and spindle-shaped (elongated) cells (about 10 different species), collagen and elastic fibers. It forms interlayers between organs.




Spongy tissue: 1-cells; 2-collagen fibers; 3-elastic fibers; 4- intercellular substance.




Cartilaginous tissue: 1-cells; 2- intercellular substance.



2



Bone tissue:1-cells; 2-intercellular substance; 3-channels between cell.



Blood:1-blood plasma; **2**-red blood cells; **3**-white blood cells.

A dense fibrous tissue consists of bundles of collagen fibers and a small number of cells (fibroblasts). It forms ligaments and tendons, skin dermis.

Adipose tissue consists of fat cells (myocytes). It is located between the organs and under the skin, forming subcutaneous adipose tissue.

Cartilaginous tissue consists of round or oval cells and a dense intercellular substance. It covers the epiphyses of the bones of the skeleton, is part of the nose, ear, trachea, connects the vertebrae.

The intercellular substance of the bone tissue consists of collagen fibers, salts, calcium and other substances. The intercellular substance has the form of plates. In these plates there are channels, permeated through the appendages of bone cells.

Task 3. Do the exercises.

Exercise 1. Answer the questions.

- 1. What kinds of connective tissue do you know?
- 2. What is the structure of reticular tissue?
- 3. What does a spongy tissue consist of? What does it form?
- 4. What does dense fibrous tissue consist of? What does it form?
- 5. What is the structure of cartilaginous tissue?

Exercise 2. Compose the text plan.

Exercise 3. Draw the types of connective tissues in the notebook.

Class 13. Connective tissue. Blood and lymph.

Task 1. Listen, repeat and read words and phrases:

lymph	лімфа	лимфа	lymphe	الليمف
plasma	плазма	плазма	plasma	البلازما
blood serum	сироватка крові	сыворотка крови	sérum sanguin	مصل الدم
leukocyte	лейкоцит	лейкоцит	leucocyte	كريات الدم البيضاء
platelet/ thrombocyte	тромбоцит	тромбоцит	thrombocyte	صفيحة دموية
erythrocyte	еритроцит	эритроцит	érythrocyte	كريات الدم الحمراء
bone marrow	кістковий мозок	костный мозг	moelle	نخاع العظم
anemia	анемія	анемия	anémie	فقر الدم (الأنيميا)
blood coagulation	згортання крові	свертывание крови	inopexie	تخثر الدم
lymphocyte	лімфоцит	лимфоцит	lymphocyte	خلية ليمفية

Pay attention!

carry [verb] transport

to hold something and transport it Red blood cells carry oxygen.

defense [noun] protection (British defence)

protection or support against attack, or infection

White cells function in defense against viruses, bacteria, and other invaders.

Task 2. Listen and repeat text.

Text

Blood and lymph are fluid connective tissue. It consists of a liquid intercellular substance called plasma, and blood cells.

Blood plasma is a colloidal solution of salts and proteins in water. Blood plasma, released from proteins, is called **serum.**

Blood elements are divided into three main groups:

- white blood cells leukocytes;
- red blood cells erythrocytes;
- blood platelets or **thrombocytes**.

Most of the white blood cells are involved in protecting the body from disease. Some white blood cells can multiply after leaving the bone marrow. There are many different types of white blood cells, but almost all of them have a protective function. Feature of leukocytes is the ability to move. Leukocytes are formed in the red bone marrow, spleen, lymph nodes, thymus.

Red blood cells are the most numerous blood cells. They make up 99.9% of all blood cells. Their main function is oxygen transport.

A high red blood cell count is an increase in oxygen-carrying cells in our bloodstream. Red blood cells transport oxygen from your lungs to tissues throughout your body. Red cells remain viable for only about 4 months before they are removed from the blood and their components recycled in the spleen. Red blood cells are formed in the red bone marrow. Without adequate iron, the body cannot produce enough hemoglobin for red blood cells. The result is iron-deficiency anemia.

Platelets are nuclear-free formation with a diameter of 2-5 microns. Platelets or thrombocytes are a component of blood whose function is to react to bleeding from blood vessel injury. They are formed in the red bone marrow and then destroyed in the spleen. Platelets are involved in blood coagulation processes.

Lymph is formed by the passage of substances from blood capillaries into tissue spaces. Lymph contains lymphocytes (white cells that fight infection) and protect the blood against bacteria and harmful substances.

Task 3. Do the exercises.

Exercise 1. Compose a text plan.

Exercise 2. Answer the questions.

- 1. What does blood consist of?
- 2. What types of blood cells do you know?
- 3. What are the functions of red blood cells?
- 4. What are the functions of leukocytes?
- 5. What are the functions of platelets?
- 6. Where are red blood cells formed and destroyed?
- 7. Where are leukocytes cells formed and destroyed?
- 8. Where are thrombocytes formed and destroyed?
- 9. What are the functions of lymph?

Exercise 3. Explain the meaning of words:

erythrocyte, leukocyte, platelet, blood plasma, serum, lymphocyte, anemia.

Class 14. Muscle tissue.

Task 1. Listen, repeat and read words and phrases:

- war in the contract of the production of the p						
contraction скорочення		сокращение	raccourcissement	إنقباض		
contract/shrink	скорочуватися	сокращаться	contractibilité	إنقبض		
provide	забезпечити	обеспечивать	accommoder	ضمن، أمن، وفر		
locomotion/movement	пересування	передвижение	locomotion	متحرك		
contractile	скоротливий	сократительный	contractilité	منقبض		
myofibril	міофібрілла	миофибрилла	myofibrille	ليفة عضلية نسيج عضلي أملس		
smooth muscular	гладка м'язова	гладкая мышеч-	tissu musculaire	نسيج عضلي أملس		
tissue	тканина	ная ткань	lisse			
transversal striated	поперечносмугас-	поперечнополо-	tissu musculaire	عضلي قلبي/تجويفي نسيج		
muscle tissue	та сердцева	сатая сердечная	striée	نسيج		
	м'язова тканина	мышечная ткань				
transversal skeletal	попоперчносмуга-	поперечнополо-	tissu musculaire	نسيج عضلي هيكلي		
muscle tissue	ста скелетна	сатая скелетная	striée			
	м'язова тканина	мышечная ткань				
sarcolemma	сарколема	сарколемма	sarcolemme	جدار عضلي شريط، شريحة		
strip	смуга	полоса	strie	شریط، شریحة		
tongue	tongue язик язык		langage	لسان		
pharynx	глотка	глотка	pharynx	بلعوم		
heart	серце	сердце	cœur	قلب		
musculature	м'язи/мускулатура	мускулатура	musculature	الجهاز العضلي		

Pay attention!

compose [verb] (form)

to be formed from various things

Muscle tissue is composed of long cells called muscle fibers.

Task 2. Listen and repeat text.


Text


Muscle tissue forms the muscles of animals and humans. It can contract (means muscle shortening), which ensures the locomotion of animals and humans and the movement of parts of their bodies.

In the cytoplasm of muscle cells there are special contractile threads - **myofibrils**.

There are two types of muscle tissue: smooth and striated.

Smooth muscle tissue consists of narrow spindle-shaped cells with a single, centrally located nucleus and contains many longitudinal myofibrils. In higher animals and in humans, this tissue forms the walls of abdominal organs.





Smooth muscle fibers

Striated muscle tissue

The **striated muscle tissue** consists of thick fibers 10–12 cm long. The muscle fibers of this tissue is lined or covered by a plasma membrane called the sarcolemma. Under the membrane there is the cytoplasm with a large number of nuclei and con-

tractile structures - myofibrils. On the myofibrils of this tissue, dark and light stripes are alternately arranged. Therefore, the tissue is called striated

The striated muscle tissue forms the whole skeletal muscles, the muscles of the tongue, and the pharynx. Special - striated - muscle tissue forms the heart membrane - myocardium.

During contractions, a striated muscle is extended by the action of muscles. All striated muscles are attached to some component of the skeleton, unlike smooth muscle, which composes hollow inner organs such as the intestines or blood vessels.

Task 3. Do the exercises.

Exercise 1. Compose a text plan.

Exercise 2. Answer the questions.

- 1. What is the main property of muscle tissue?
- 2. What types of muscle tissue do you know?
- 3. What is the characteristics of smooth muscle tissue?
- 4. What is the characteristics of striated muscle tissue?
- 5. What forms smooth muscle tissue?
- 6. What forms striated muscle tissue?

Exercise 3. Explain the meaning of words: myofibril, sarcolemma.

Exercise 4. Draw the type of muscle tissue.

Class 15. Nervous tissue.

Task 1. Listen, repeat and read words and phrases:

neuron	нейрон	нейрон	neurocyte	خلية عصبية
neuroglia	нейроглія	нейроглия	tissu glial	نوع من خلايا المخ
dendrite	дендрит	дендрит	dendrite	زائدة شجرية (في الخلية العصبية)
axon	аксон	аксон	axone	محور الليفة العصبية
neurite	нейрит	нейрит	neurite	محورالعصب
appendage	відросток	отросток	appendice	نتوء
neuron	уніполярний нейрон	униполярный нейрон	dendritique	
bipolar neuron	біполярний нейрон	биполярный нейрон	bipolaire unipolaire	عصية ذات قطبين
multipolar neuron	мультиполярний нейрон	мультиполярный нейрон	neurone multipolaire	عصيية متعددة الأقطاب
branch out	галузитися	ветвиться		، تفرع، تشعب

Pay attention!

specialize [verb]

doing one type of work

The neuron, or nerve cell, is uniquely specialized to transmit nerve impulses.


concentrate [verb] (come together)

to bring or come together in a large number or amount in one particular area In many animals, nervous tissue is concentrated in the brain.

Task 2. Listen and repeat text.

Text

Nerve tissue consists of nerve cells, or **neurons**, and **neuroglia**.



Nervous tissue

The form of neurons depends on the number of processes departing from it. A neuron that has one very short process is called a **unipolar neuron**, two processes - a **bipolar**, three processes and more - a **multipolar neuron**.


Unipolar neurons are found in spinal nerve cell bodies and cranial nerves. Bipolar neurons are sensory neurons consisting of one axon and one dendrite that extend from the cell body.

There are two types of neurons processes.

Dendrites are short and branching processes on which information enters the neuron. The functions of dendrites are to receive signals from other neurons, to process these signals, and to transfer the information to the body of the neuron.

Neurites or **axons** are long processes that branch only at the ends along which information comes from a neuron. A neuron has several dendrites and one axon.

Axon carries nerve impulses away from the cell body. A neuron typically has one axon that connects it with other neurons or with muscle or gland cells.



1-neuron;

2-dendrite;

3- coated neurite;

4-nerve ending.

Dendrites and axons differ not only in structure, but also in their functions.

Dendrites perceive excitation and conduct them to the nerve cell, and neurites transmit a nerve impulse from the cell to other nerve cells and working organs.

The neuroglia performs nutritional, support, protective functions and consists of cells of various shapes.

Nervous tissue has two main properties - excitability and conductivity.

Excitability is the ability to initiate nerve impulse in response to stimuli (changes outside and inside the body).

The transmission of excitation in a particular direction is called **conductivity**. Conductivity is the ability of nerve tissue to transmit excitement - impulse.

Nervous tissue receives irritation from the external and internal environment and transfers them to the organs of the body: from one organ to another.

Exercises 1. Answer the questions.

- 1. What are the properties of nerve tissue?
- 2. What is nerve tissue?
- 3. What types of neurons do you know?
- 4. What structure has an axon and what function does it perform?
- 5. What structure have dendrites and what function do they perform?
- 6. What are the functions of neuroglia?

Exercises 2. Explain the meaning of words:

neuron, neuritis, neuroglia, dendrite, axon, excitability, conductivity.

Exercises 3. Sketch a neuron and show its main parts in the picture.

Class 16. Laboratory work №2.

Animal and human tissue.


Class 17. Repetition.


Task 1. Listen, repeat and read words and phrases:

Tusik T. Listen,	repeat and read v	vorus and pinase		
macroelement	макроелемент	макроэлемент	macro-élément	عنصر كبير عنصر دقيق أحماض نووية
microelement	мікроелемент	микроэлемент	micro-élément	عنصر دقيق
nucleic acid	нуклеїнові кис-	нуклеиновые	acides nucléiques	أحماض نووية
	ЛОТИ	кислоты		
deoxyribonucleic	дезоксирибону-	дезоксирибо-	acide désoxyribo-	حمض نووي رايبوزي منقوصالأكسجينDNA
acid (DNA)	клеїнова кисло-	нуклеиновая	nucléique	
	та	кислота (ДНК)		
ribonucleic acid	рибонуклеїнова	рибонуклеино-	acide ribonucléi-	الحمض النووي الرايبوزي
(RNA)	кислота	вая кислота	que	
mitochondrion	мітохондрія	митохондрия	acide	میتوکندریا
(plural is mito-			ribonucléique	
chondria)				
endoplasmic	ендоплазматич-	эндоплазмати-	réticulum	الشبكة الأندوبلامية
reticulum	ний ретику-	ческий ретику-	endoplasmique	
	лум/сітка	лум/сеть		
achromatin spin-	ахроматинове	ахроматиновое	fuseau	خيوط مغزلية (تتكون عندإنقسام الخلايا)
dle	веретино	веретено	achromatique	
sarcolemma	сарколема	сарколемма	sarcolemme	جدار عضلي
myofibril	міофібріла	миофибрилла	myofibrille	جدار عضلي ليمفة عضلية نسيج عضلي تجويفي
transversal	поперечносму-	поперечнопо-	tissu musculaire	نسيج عضلي تجويفي
striated muscle	гаста м'язова	лосатая мы-	strie	
tissue	тканина	шечная ткань		
unipolar neuron	уніполярний	униполярный	neurone	عصية أحادية القطب
	нейрон	нейрон	unipolaire	
bipolar neuron	біполярний ней-	биполярный	neurone bipolaire	عصية ذات قطبين
	рон	нейрон		
multipolar	мультиполярний	мультиполяр-	neurone	عصية متعددة الأقطاب
neuron	нейрон	ный нейрон	multipolaire	
dendrite	дендрит	дендрит	dendrite	زائدة شجرية(في الخلية العصبية)
axon	аксон	аксон	axone	محور الليفة العصبية
neurite	нейрит	нейрит	neurite	زائدة شجرية(في الخلية العصبية) محور الليفة العصبية محور العصب
neuroglia	нейроглія	нейроглия	tissu glial	نوع من خلايا المخ
excitability	збудливість	возбудимость	excitabilité	تأثیر،تهیج

Task 2. Answer the questions.

- 1. What is the study of cells called?
- 2. What are the basic cell organelles?
- 3. What organelle is shown in the image below and what functions it performs?





- 4. What cell organelles are involved in protein synthesis?
- 5. What organelle contains digestive enzymes?
- 6. What is the name of the organelle that synthesizes ATP?
- 7. What is cytoplasm?
- 8. What organic substances are part of the cell?
- 9. What are the functions of mineral salts in the cell?
- 10. What is mitosis?
- 11.In what phase of mitosis are chromosomes located at the equator of the cell?
- 12. What is cytokinesis?
- 13. What happens in the interphase phase of mitosis?
- 14. What happens in prophase I meiosis?
- 15.In which phase of meiosis do homologous chromosomes diverge to opposite poles?
- 16. What types of epithelial tissue do you know?
- 17. What are the functions of epithelial tissue?
- 18. What types of muscle tissue do you know?
- 19. What are the functions of muscle tissue?
- 20. What types of connective tissue do you know?
- 21. What are the functions of blood?
- 22. What blood cells do you know?
- 23. What are the functions of the lymph?
- 24. What is the study of tissues called?
- 25. What are the main properties of nerve tissue?
- 26. What types of neurons do you know?
- 27. What functions do the dendrites perform?
- 28. What function does the nerve tissue perform?

Class 18. Control work №2.